

MATERIAL SAFETY DATA SHEET FOR TEXTURECOAT STAMPED ASPHALT COATING

SECTION I

PRODUCT IDENTIFICATION

Manufacturer: Pattern Paving Products
1750 Hwy 160 West
Fort Mill, SC 29708

Information Ph: 888-434-8611

Emergency Ph: 704-996-7248

Revised: 1/1/03

Product Class: High Solids Waterborne
Lead Free Decorative Traffic Coating

TEXTURECOAT 100 TINT BASE

Trade Name: TEXTURCOAT

C.A.S. Number: N/A - Mixture

VOC < 150 G/L

HAZARD RATINGS:			
NONE-EXTREME	0 - 4	HTH	1
		FIRE	1
		REACTIVITY	0
		PERSONAL PROTECTION	0

SECTION II

HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	WEIGHT ----- Exposure Limits -----		VP	
		%	ACGIH/TLV		OSHA/PEL
Methanol	67-56-1	2.5 MAX STEL =	200 ppm	200 ppm 250 ppm	97.7 @ 68F

SECTION III PHYSICAL DATA

BOILING RANGE: 147-477°F

EVAPORATION RATE: 0.45 x n-Butyl Acetate

APPEARANCE: Heavy Liquid

VOLATILES: VOL % 38-40%

VAPOR DENSITY: Heavier than Air.

LIQUID DENSITY: 1.5-1.7 kg/l @ 20°C

V.O.C.: <150 g/l / 1.3 lbs/gal

WGT % 20-25%

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLAMMIBILITY CLASS: Not Flammable

FLASHPOINT ASTM D 3278: >201°F

FLASHPOINT ASTM D 93: >201°F

TCC LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA:

- NONE

SPECIAL FIREFIGHTING PROCEDURES:

- NONE

UNUSUAL FIRE & EXPLOSION HAZARDS:

- KEEP CONTAINERS TIGHTLY CLOSED.
- ISOLATE FROM HEAT, SPARKS AND OPEN FLAME.
- CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.
- THIS MATERIAL WILL NOT BURN UNTIL THE WATER HAS EVAPORATED. DRIED RESIDUE CAN BURN.
- IN A TEST "EVALUATION OF THE FIRE HAZARD OF WATER-BORNE COATINGS" (FACTORY MUTUAL RESEARCH CORPORATION SCIENTIFIC CIRCULAR 804 DECEMBER 1977), FOUR WATER-BORNE COATINGS "PRESENTED NO [FIRE] HAZARD". "IT WAS ALSO CONCLUDED THAT RESULTS OBTAINED FROM LABORATORY [FLASH POINT] TESTS ARE NOT REPRESENTATIVE INDICATION OF THE FIRE HAZARD OF WATER-BORNE COATINGS".

**SECTION VIII
SPECIAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION:

- WEAR APPROPRIATE, PROPERLY FITTED RESPIRATOR (NIOSH/MSHA APPROVED) DURING SPRAYING APPLICATION TO PROTECT AGAINST OVERSPRAY.

VENTILATION:

- ADEQUATE VENTILATION IS NECESSARY WHEN SPRAYING OR MIXING AND EXHAUST WITH PROPER AIRFLOW IS ALWAYS RECOMMENDED.
- AVOID ANY DIRECT INHALATION OF SPRAY MIST IF THIS PRODUCT IS SPRAYED.

PROTECTION GLOVES:

- RECOMMENDED

EYE PROTECTION:

- CLOSE FITTING SAFETY GOGGLES.

OTHER PROTECTIVE EQUIPMENT:

- MAY ADHERE TO SKIN - GLOVES, LONG SLEEVES, HATS AND FACE SHIELDS ARE RECOMMENDED.
- PROTECTIVE CREAMS MAY HELP, BUT ARE NOT AS PROTECTIVE AS GLOVES, ETC.
- TRAIN AND EDUCATE EMPLOYEES IN THE SAFE USE OF THE PRODUCT.

**SECTION IX
SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

- PROTECT FROM FREEZING

**SECTION X
ADDITIONAL REGULATORY INFORMATION**

THIS PRODUCT IS NOT REGULATED BY D.O.T.WHEN SHIPPED DOMESTICALLY BY LAND.

SARA TITLE III SECTION 313:

THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW ACT OF 1986 AND OF 40 CFR 372:

CAS#	CHEMICAL NAME	PERCENT BY WEIGHT
67-56-1	METHANOL	2.5 MAX

PROP 65 (CARCINOGEN):

WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

CAS#	CHEMICAL NAME	PERCENT BY WEIGHT
	NONE	

PROP 65 (TERATOGEN):

WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

CAS#	CHEMICAL NAME	PERCENT BY WEIGHT
	NONE	

PROP 65 (BOTH CARCINOGEN AND TERATOGEN):

WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

CAS#	CHEMICAL NAME	PERCENT BY WEIGHT
	NONE	

TSCA-U.S. TOXIC SUBSTANCES CONTROL ACT:

ALL COMPONENTS OF THIS MIXTURE ARE IN COMPLIANCE WITH THE INVENTORY LISTING REQUIREMENTS OF THE U.S. TOXIC SUBSTANCES CONTROL ACT (TSCA) CHEMICAL SUBSTANCES INVENTORY.

SECTION XI

MISCELLANEOUS INFORMATION

THE INFORMATION OFFERED HEREIN IS, TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE, BUT ALL RECOMMENDATIONS ARE MADE WITHOUT WARRANTY, EXPRESS OR IMPLIED, SINCE THE CONDITIONS OF USE ARE BEYOND OUR CONTROL, NEITHER PATTERN PAVING PRODUCTS NOR ITS AGENTS SHALL BE LIABLE FOR ANY INJURY, LOSS OR DAMAGE, DIRECT OR CONSEQUENTIAL, ARISING FROM THE USE OR THE INABILITY TO USE THE PRODUCT DESCRIBED HEREIN. NO PERSON IS AUTHORIZED TO MAKE ANY STATEMENT OR RECOMMENDATION NOT CONTAINED IN THE MATERIAL DATA SHEET, AND ANY SUCH STATEMENT OR RECOMMENDATION, IF MADE SHALL NOT BIND THE CORPORATION.